

Request for Laboratory Analysis: Bottled / Packaged Water Profile Sheet

Project No.:		RLA Reviewed By:	Date:	LS SRN:
Project Officer:		Email:		Tel:
Alternate POC:		Email:		Tel:
Address:				
Installation Site:	Field ID:	DOEHRS ID:		
Fund Source:	MIPR No.:	ARLOC / WIC / VC#:		
Sample Collection Date:	Sample Collection Time:	Local	or UTC {Zulu}	
SELECT Certificate of Analysis Delivery Schedule:				
Analysis Priority Requested (Justification Required for Non-Routine Priority):				
Note: LS assumes neither responsibility nor liability for the sampling protocols employed by the customer.				
I do NOT authorize LS to sub-contract requested analyses to an accredited Contract Laboratory.				

Run the Required: Metals-		Non-Metals-		Organics-		Micro-		Run ONLY the selected items listed below:	
Individual Metals (Select Below)		Individual Non-metals (Select Below)		Organics Listed Below		Micro Listed Below		Optional Chemicals (Select Below)	
Aluminum (Al)		Cyanide, Free		Carbamates		Heterotrophic Bacteria		Adipate & Phthalate	
Antimony (Sb)		Gross Alpha & Beta Activity		Diquat & Paraquat		Total Coliforms		Dioxin (TCDD) [CL]	
Arsenic (As)		Chloride		EDB / DBCP		<i>E. coli</i>		Endothall [CL]	
Barium (Ba)		Fluoride		Glyphosate / AMPA				PAH	
Beryllium (Be)		Sulfate		Herbicides				Ra ^{226/228} Activity [CL]	
Cadmium (Cd)		Color		Pesticides & PCB				VOC - Total	
Chromium (Cr)		Nitrate		VOC - Regulated					
Copper (Cu)		Nitrite							
Iron (Fe)		Odor							
Lead (Pb)		Total Nitrate / Nitrite							
Manganese (Mn)		TDS							
Mercury (Hg)		Total Chlorine							
Nickel (Ni)									
Selenium (Se)		Optional Micro (Select Below)							
Silver (Ag)		<i>Enterococcus</i>							
Thallium (Tl)		<i>P. aeruginosa</i>							
Uranium (U)									
Zinc (Zn)									

[CL] = Contract Laboratory

Notes for the Laboratory / Special Instructions:

--

— For Laboratory Use Only —

Date Received:	Received By:	Holding Area: CSD Bldg. 3809 Rm. 147
Sample Split By:	Sample Split Date:	