



DEPARTMENT OF THE ARMY  
US ARMY PUBLIC HEALTH COMMAND (PROVISIONAL)  
5158 BLACKHAWK ROAD  
ABERDEEN PROVING GROUND, MD 21010-5403

MCHB-TS-RDE

06 FEB 2010

MEMORANDUM FOR Office of the Command Surgeon (MAJ (b) (6)), US Central Command, 7115 South Boundary Boulevard, MacDill Air Force Base, FL 33621-5101

SUBJECT: Deployment Occupational and Environmental Health Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 October 2009, U\_AFG\_DELHI\_CM\_SQA\_20091011

1. The enclosed report details the occupational and environmental health (OEH) risk characterization for five soil samples collected by 2<sup>nd</sup> Marine Expeditionary Brigade-Army-Command Element personnel at Delhi, Afghanistan, 11 October 2009.
2. The OEH risk estimate for exposure to the soil and associated dust at Delhi, Afghanistan is **low**. In three of the sample analysis of pesticides/ polychlorinated biphenyls, herbicides, and semi volatile organic compounds parameters were not able to be performed due to gross contamination of fuel in the sample. The potential high concentration of fuel in the samples could damage sensitive laboratory equipment. None of the chemical or physical parameters were detected at concentrations above their respective military exposure guidelines. Exposure to the soil and associated dust is expected to have little or no impact on unit readiness.

FOR THE COMMANDER:

(b) (6)

Encl

Director, Health Risk Management

CF: (w/encl)

MEB-A-CE ((b) (6) y)

MEB-A, CLR-2 (LT (b) (6))

30th MEDCOM(Liaison Officer/LTC (b) (6))

30th MEDCOM (Environmental Science Officer/LTC (b) (6))

CJTF-82 (Command Surgeon Office /CPT (b) (6))

ARCENT (Command Surgeon Office /LTC (b) (6))

CSTC-A (Command Surgeon Office /Maj (b) (6))

ARCENT (Force Health Protection Officer/LTC (b) (6))

CFLCC/USA 3RD MDSC (MAJ (b) (6))

NMCPHC (Expeditionary Preventive Medicine/Mr. (b) (6))

USAPHC-EUR (MCHB-AE-EE/CPT (b) (6))

# U.S. Army Public Health Command (Provisional)

---

DEPLOYMENT OCCUPATIONAL AND ENVIRONMENTAL  
HEALTH RISK CHARACTERIZATION  
SOIL AND ASSOCIATED DUST SAMPLES  
DELHI, AFGHANISTAN  
11 OCTOBER 2009  
U\_AFG\_DELHI\_CM\_SQA\_20091011

Distribution authorized to U.S. Government Agencies only; protection of privileged information evaluating another command; December 2009. Requests for this document must be referred to Office of the Command Surgeon, U.S. Central Command, 7115 South Boundary Boulevard, MacDill Air Force Base, FL 33621-5101.

Preventive Medicine Survey: 40-5f1

PHC FORM 433-E (MCHB-CS-IP), NOV 09

U  
S  
A  
P  
H  
C

DEPLOYMENT OCCUPATIONAL AND ENVIRONMENTAL  
HEALTH RISK CHARACTERIZATION  
SOIL AND ASSOCIATED DUST SAMPLES  
DELHI, AFGHANISTAN  
11 OCTOBER 2009  
U\_AFG\_DELHI\_CM\_SQA\_20091011

1. REFERENCES.

a. Department of the Army, Field Manual (FM) 5-19, Composite Risk Management, 21 August 2006.

b. U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) Technical Guide (TG) 230, Chemical Exposure Guidelines for Deployed Military Personnel, Version 1.3, May 2003 with the January 2004 addendum.

c. USACHPPM Reference Document (RD) 230, Chemical Exposure Guidelines for Deployed Military Personnel, Version 1.3, May 2003 with January 2004 addendum.

2. PURPOSE. According to U.S. Department of Defense medical surveillance requirements, this occupational and environmental health (OEH) risk characterization documents the identification and assessment of chemical hazards that pose potential health and operational risks to deployed troops. Specifically, the samples and information provided on the associated field data sheets were used to estimate the operational health risk associated with personnel exposure to identified chemical hazards in the soil at Delhi, Afghanistan.

3. SCOPE. This assessment addresses the analytical results for five soil samples collected from Delhi, Afghanistan, 11 October 2009. These samples are limited in time, area, and media. Therefore, this report should not be considered a complete assessment of the overall OEH hazards to which troops may be exposed at Delhi, Afghanistan. However, this assessment has been performed using operational risk management (ORM) doctrine FM 5-19, and the relatively conservative (protective) assumptions and methods provided in USACHPPM TG 230, to facilitate decision making that can minimize the likelihood of significant risks.

4. BACKGROUND AND EXPOSURE ASSUMPTIONS. The soil samples were collected to assess the potential for adverse health effects to personnel coming into contact with the sampled soil and associated dust at Delhi, Afghanistan.

a. AFG DELHI 09284 01S: This is a composite, surface soil sample collected from the fuel site. The sampling area was dusty and has fumes from the burn pit. Personnel are expected to remain on at Delhi, Afghanistan for less than 1 year. The degree of

Use of trademarked name(s) does not imply endorsement by the U.S. Army but is intended only to assist in identification of a specific product.

exposure to the soil is considered high low (that is, nontraffic areas, restricted areas, etc.). It is expected that 10 to 25 percent of the personnel at Delhi, Afghanistan are exposed to the soil in this area.

b. AFG DELHI 09284 02S: This is a discrete, sub-surface soil sample collected from the fuel site. The sampling area was has fumes from the burn pit. Personnel are expected to remain on at Delhi, Afghanistan for less than 1 year. The degree of exposure to the soil is considered high medium (that is, walking area, common area, grassy athletic fields, etc.). It is expected that 10 to 25 percent of the personnel at Delhi, Afghanistan are exposed to the soil in this area.

c. AFG DELHI 09283 01S: This is a composite, surface soil sample collected from the fuel site. The sampling area was dusty and has fumes from the burn pit. Personnel are expected to remain on at Delhi, Afghanistan for less than 1 year. The degree of exposure to the soil is considered high low (that is, nontraffic areas, restricted areas, etc.). It is expected that 10 to 25 percent of the personnel at Delhi, Afghanistan are exposed to the soil in this area.

d. AFG DELHI 09283 02S: This is a composite, surface soil sample collected from the burn pit. Personnel are expected to remain on at Delhi, Afghanistan for less than 1 year. The degree of exposure to the soil is considered medium (that is, walking area, common area, grassy athletic fields, etc.). It is expected that 25 to 50 percent of the personnel at Delhi, Afghanistan are exposed to the soil in this area.

e. AFG DELHI 09283 03S: This is a composite, surface soil sample collected from the main gate. Personnel are expected to remain on at Delhi, Afghanistan for less than 1 year. The degree of exposure to the soil is considered high (that is, fighting position, maintenance area, physical training area, excavating, filling sandbags, etc.). It is expected that all of the personnel at Delhi, Afghanistan are exposed to the soil in this area.

5. METHOD. The United States Army Public Health Command (Provisional) (USAPHC (Prov)) Deployment Environmental Surveillance Program uses the USACHPPM TG 230 methodology and associated military exposure guidelines (MEGs) to assess identified hazards and estimate risk in a manner consistent with doctrinal risk management procedures and terminology. This method includes identification of the hazard(s), assessment of the hazard severity and probability, and determination of a risk estimate and associated level of confidence. As part of the hazard identification step, the long-term (1-year) MEGs are used as screening criteria to identify those hazards that are potential health threats. These 1-year MEGs represent exposure concentrations at or below which no significant health effects (including

delayed or chronic disease or significant increased risk of cancer) are anticipated even after 1 year of continuous daily exposures. Short-term MEGs are used to assess one time or intermittent exposures. The underlying toxicological basis for the MEGs is addressed in RD 230. Since toxicological information about potential health effects varies among different chemicals, the determination of severity of effects when MEGs are exceeded involves professional judgment. Hazards with exposure concentrations greater than MEGs are identified as potential health threats, carried through the hazard assessment process, and assigned a risk estimate consistent with ORM methodology. Hazards that are either not detected or are present only at levels below the 1-year MEGs are not considered health threats and, therefore, are automatically assigned a low operational risk estimate.

## 6. HAZARD IDENTIFICATION AND ASSESSMENT.

a. Laboratory Analysis. The five soil samples were analyzed for metals, pesticides/polychlorinated biphenyls (PCBs), herbicides, radionuclides, and semivolatile organic compounds (SVOCs). The three samples at the fuel site were analyzed for metals and radionuclides only due to heavy fuel smell. The sample from the main gate and the burn pit received a full laboratory analysis. An information summary for the samples is contained in Appendix A. Appendix B presents a sample results summary table for all detected parameters. Appendix C presents detailed laboratory results. Since three of the samples are from a known fuel spill site, the samples were not analyzed for PCBs, herbicides, and SVOCs. The potential high concentration of fuel in the samples could damage sensitive laboratory equipment.

b. Risk Estimate. None of the parameters detected in the five soil samples collected were present at concentrations greater than their respective MEGs. Therefore, no potential health threats were identified, and the risk estimate is considered **low**.

7. CONCLUSION. The OEH risk estimate for exposure to the soil and associated dust at Delhi, Afghanistan is **low**. Confidence in the risk estimate is considered low because it is unknown whether the samples collected are representative of the entire camp.

## 8. RECOMMENDATIONS AND NOTES.

### a. Recommendations.

(1) Do not collect soil samples from known fuel sites unless there is a need to know specific chemical constituents because there is an exposure concern or unless directed by Command.

(2) Document and archive known fuel spill sites. Documentation should include photographs and written record of location, type and amount of product spilled, circumstances resulting in spill, approximate date of spill, exposure scenario, exposed personnel roster, and any mitigation/controls/remediation efforts.

(3) Although there is a low risk of mission impact due to exposure to soil and associated dust at Delhi, Afghanistan, the following general personal protection recommendations should be followed.

(a) Minimize skin exposure to the soil and associated dust, the uniform should be worn properly: roll sleeves down, tuck pants into boots, and tuck undershirt into pants.

(b) Ensure hand washing stations are readily available. Wash hands and face with soap and water prior to eating, drinking, or smoking.

(c) Report any symptoms to a health care provider in order to identify potential causes and implement hazard control measures.

(d) Collect additional soil samples from this site/area if there is a known change in or concern with the soil conditions.

b. Notes.

(1) This OEH risk assessment is specific to the exposure assumptions identified in this report and the sample results assessed in this report. If the assumed exposure scenario changes, provide updated information so that the risk estimate can be reassessed. If additional samples from these areas are collected, a new OEH risk assessment will be completed.

(2) As part of a Comprehensive Military Medical Surveillance Program, required by Department of Defense Directive (DoDD) 6490.02E and Department of Defense Instruction (DoDI) 6490.03, this report has been submitted to the Occupational and Environmental Health Surveillance-Data Portal (OEHS-DP). You can view this and other archived OEHS data at <https://doehsportal.apgea.army.mil/doehrs-oehs/>. If you have additional OEHS data for Delhi, Afghanistan it can also be submitted via this Web site.

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09, U\_AFG\_DELHI\_CM\_SQA\_20091011

9. POINTS OF CONTACT. The USAPHC (Prov) points of contact for this assessment are Mr. (b) (6) and Mr. (b) (6). Mr. (b) (6) may be contacted at e-mail (b) (6); Mr. (b) (6) may be contacted at e-mail (b) (6), or DSN (b) (6) or commercial (b) (6).

(b) (6)

Environmental Scientist  
Deployment Environmental Surveillance  
Program

Approved by:

(b) (6)

MAJ, MS  
Program Manager  
Deployment Environmental Surveillance

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
U\_AFG\_DELHI\_CM\_SQA\_20091011

APPENDIX A

INFORMATION SUMMARY  
SOIL AND ASSOCIATED DUST SAMPLES  
DELHI, AFGHANISTAN  
11 OCTOBER 2009

DOEHRS Sample ID	Field/Local Sample ID	Site	Start Date/Time	Collection Type
00001CTM	AFGDELHI0928301S	Fuel Site	2009/10/11 1028	Soil-Composite
00001CTN	AFGDELHI0928401S	Fuel Site	2009/10/11 1024	Soil-Discrete
00001CTP	AFGDELHI0928301S	Fuel Site	2009/10/10 1810	Soil-Composite
00001CTQ	AFGDELHI0928301S	Burn Pit	2009/10/10 1740	Soil-Composite
00001CTR	AFGLEATHE0928301S	Main Gate	2009/10/10 1755	Soil-Composite

LEGEND:

DOEHRS Sample ID = Deployment Occupational and Environmental Health Readiness System Sample Identification Number



APPENDIX B

RESULTS SUMMARY  
 SOIL AND ASSOCIATED DUST SAMPLES  
 DELHI, AFGHANISTAN  
 11 OCTOBER 2009

Parameter <sup>1</sup>	Units	Sample Identification					# > Laboratory Reporting Limit	USACHPPM TG 230 Military Exposure Guideline	
		AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S		1 year	
		Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate		# > MEG	MEG
Barium	mg/kg	48.9	52.3	41.9	104	48.1	5	0	18000
Benz[a]anthracene	mg/kg				0.67	< 0.33	1	0	2500
Cadmium	mg/kg	4.97	4.27	< 3.85	< 3.93	4.36	3	0	130
Chromium	mg/kg	27.9	27.9	19.5	24.5	28.2	5	0	5700
Chrysene	mg/kg				0.67	< 0.33	1	0	3100
Di(2-ethylhexyl)phthalate	mg/kg				0.55	3.6	2	0	2900
Dimethylphthalate	mg/kg				0.5	0.65	2	0	1000000
Di-n-butylphthalate	mg/kg				0.55	< 0.33	1	0	26000
Fluoranthene	mg/kg				0.38	< 0.33	1	0	42000
Lead	mg/kg				11.5	< 9.9	1	0	2200
Mercury	mg/kg				0.0116	0.0144	2	0	33
Nickel	mg/kg	34.5	34.4	23	29.7	34.5	5	0	5300
Phenanthrene	mg/kg				0.77	< 0.33	1	0	270

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

Parameter <sup>1</sup>	Units	Sample Identification					# > Laboratory Reporting Limit	USACHPPM TG 230 Military Exposure Guideline	
		AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S		1 year	
		Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate		# > MEG	MEG
		Concentration							
Phenol	mg/kg				1.7	< 0.33	1	0	31000
Pyrene	mg/kg				2.8	< 0.33	1	0	31000
Strontium	mg/kg	118	138	208	123	130	5	0	140000

<sup>1</sup>Laboratory detection limit is parameter and sample specific

LEGEND:

mg/kg = milligram per kilogram

APPENDIX C

ANALYTICAL SAMPLE RESULTS  
 SOIL AND ASSOCIATED DUST SAMPLES  
 DELHI, AFGHANISTAN  
 11 OCTOBER 2009

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
1,2,4-Trichlorobenzene	SVOC	mg/kg				< 0.33	< 0.33
1,2-Dichlorobenzene	VOC	mg/kg				< 0.33	< 0.33
1,3-Dichlorobenzene	VOC	mg/kg				< 0.33	< 0.33
1,4-Dichlorobenzene	VOC	mg/kg				< 0.33	< 0.33
2,4,5-T	Herbicides	mg/kg				< 0.05	< 0.05
2,4,5-TP (Silvex)	Herbicides	mg/kg				< 0.05	< 0.05
2,4,5-Trichlorophenol	SVOC	mg/kg				< 0.33	< 0.33
2,4,6-Trichlorophenol	SVOC	mg/kg				< 0.33	< 0.33
2,4-D	Herbicides	mg/kg				< 0.05	< 0.05
2,4-DB	Herbicides	mg/kg				< 0.05	< 0.05
2,4-Dichlorophenol	SVOC	mg/kg				< 0.33	< 0.33
2,4-Dimethylphenol	SVOC	mg/kg				< 0.33	< 0.33
2,4-Dinitrophenol	SVOC	mg/kg				< 0.33	< 0.33

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
2,4-Dinitrotoluene	SVOC	mg/kg				< 0.33	< 0.33
2,6-Dinitrotoluene	SVOC	mg/kg				< 0.33	< 0.33
2-Chloronaphthalene	SVOC	mg/kg				< 0.33	< 0.33
2-Chlorophenol	SVOC	mg/kg				< 0.33	< 0.33
2-Methyl-4,6-dinitrophenol	SVOC	mg/kg				< 0.33	< 0.33
2-Methylnaphthalene	SVOC	mg/kg				< 0.33	< 0.33
2-Methylphenol (o-Cresol)	SVOC	mg/kg				< 0.33	< 0.33
2-Nitroaniline	SVOC	mg/kg				< 0.33	< 0.33
2-Nitrophenol	SVOC	mg/kg				< 0.33	< 0.33
3,5-Dichlorobenzoic acid	Herbicides	mg/kg				< 0.05	< 0.05
3-Nitroaniline	SVOC	mg/kg				< 0.33	< 0.33
4-Chloro-3-methylphenol	SVOC	mg/kg				< 0.33	< 0.33
4-Chloroaniline	SVOC	mg/kg				< 0.33	< 0.33
4-Methylphenol (p-Cresol)	SVOC	mg/kg				< 0.33	< 0.33
4-Nitroaniline	SVOC	mg/kg				< 0.33	< 0.33
4-Nitrophenol	SVOC	mg/kg				< 0.33	< 0.33
Acenaphthene	PAH	mg/kg				< 0.33	< 0.33
Acenaphthylene	PAH	mg/kg				< 0.33	< 0.33
Acifluorfen	Herbicides	mg/kg				< 0.05	< 0.05
Actinium-228		µCi/g	0.00000159	< 0.00000134	0.00000116	< 0.00000114	0.00000183
Alachlor	Herbicides	mg/kg				< 0.2	< 0.2

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
Aldrin	Insecticides	mg/kg				< 0.05	< 0.05
alpha-Chlordane	Insecticides	mg/kg				< 0.05	< 0.05
alpha-HCH (alpha-BHC)	Insecticides	mg/kg				< 0.05	< 0.05
Anthracene	PAH	mg/kg				< 0.33	< 0.33
Aroclor 1016	PCB	mg/kg				< 0.2	< 0.2
Aroclor 1221	PCB	mg/kg				< 0.2	< 0.2
Aroclor 1232	PCB	mg/kg				< 0.2	< 0.2
Aroclor 1242	PCB	mg/kg				< 0.2	< 0.2
Aroclor 1248	PCB	mg/kg				< 0.2	< 0.2
Aroclor 1254	PCB	mg/kg				< 0.2	< 0.2
Aroclor 1260	PCB	mg/kg				< 0.2	< 0.2
Arsenic	Metals	mg/kg	< 39.0	< 41.6	< 38.5	< 39.3	< 39.6
Aspon	Insecticides	mg/kg				< 0.1	< 0.1
Atrazine	Herbicides	mg/kg				< 2.0	< 2.0
Azinphos-ethyl	Insecticides	mg/kg				< 0.2	< 0.2
Azinphos-methyl	Insecticides	mg/kg				< 0.2	< 0.2
Barium	Metals	mg/kg	48.9	52.3	41.9	104	48.1
Benefin	Herbicides	mg/kg				< 0.1	< 0.1
Bentazon	Herbicides	mg/kg				< 0.05	< 0.05
Benz[a]anthracene	PAH	mg/kg				0.67	< 0.33
Benzo[a]pyrene	PAH	mg/kg				< 0.33	< 0.33

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	μunits	Concentration <sup>1,2</sup>				
Benzo[b]fluoranthene	PAH	mg/kg				< 0.33	< 0.33
Benzo[g,h,i]perylene	PAH	mg/kg				< 0.33	< 0.33
Benzo[k]fluoranthene	PAH	mg/kg				< 0.33	< 0.33
Benzyl alcohol	SVOC	mg/kg				< 0.33	< 0.33
Beryllium	Metals	mg/kg	< 1.95	< 2.08	< 1.93	< 1.96	< 1.98
beta-HCH (beta-BHC)	Insecticides	mg/kg				< 0.05	< 0.05
Bis(2-chloroethoxy)methane	SVOC	mg/kg				< 0.33	< 0.33
Bis(2-chloroethyl)ether	SVOC	mg/kg				< 0.33	< 0.33
Bis(2-chloroisopropyl) ether	SVOC	mg/kg				< 0.33	< 0.33
Bismuth-214		μCi/g	0.000000794	0.00000107	0.000000811	0.000000946	0.0000017
Bolstar	Insecticides	mg/kg				< 0.2	< 0.2
Bromacil	Herbicides	mg/kg				< 0.4	< 0.4
Butylbenzylphthalate	SVOC	mg/kg				< 0.33	< 0.33
Cadmium	Metals	mg/kg	4.97	4.27	< 3.85	< 3.93	4.36
Carbophenothion	Insecticides	mg/kg				< 0.2	< 0.2
Cesium-134		μCi/g	< 0.000000130	< 0.000000170	< 0.000000108	< 0.000000185	< 0.000000176
Cesium-137		μCi/g	< 0.000000197	< 0.000000255	< 0.000000138	< 0.000000236	< 0.000000236
Chlordane, technical	Insecticides	mg/kg				< 0.2	< 0.2
Chlorfenvinphos	Insecticides	mg/kg				< 0.1	< 0.1
Chloroneb	Fungicides	mg/kg				< 0.25	< 0.25
Chlorothalonil	Fungicides	mg/kg				< 0.1	< 0.1

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
Chlorpyrifos	Insecticides	mg/kg				< 0.1	< 0.1
Chlorpyrifos-methyl	Insecticides	mg/kg				< 0.1	< 0.1
Chromium	Metals	mg/kg	27.9	27.9	19.5	24.5	28.2
Chrysene	PAH	mg/kg				0.67	< 0.33
cis-Permethrin	Insecticides	mg/kg				< 0.4	< 0.4
Cobalt-60		µCi/g	< 0.000000138	< 0.000000135	< 0.000000138	< 0.000000246	< 0.000000231
Coumaphos	Insecticides	mg/kg				< 0.2	< 0.2
Crotoxyphos	Insecticides	mg/kg				< 0.2	< 0.2
DCPA (Dacthal)	Herbicides	mg/kg				< 0.1	< 0.1
delta-HCH (delta-BHC)	Insecticides	mg/kg				< 0.05	< 0.05
Di(2-ethylhexyl)phthalate	SVOC	mg/kg				0.55	3.6
Diazinon	Insecticides	mg/kg				< 0.1	< 0.1
Dibenz[a,h]anthracene	PAH	mg/kg				< 0.33	< 0.33
Dibenzofuran	SVOC	mg/kg				< 0.33	< 0.33
Dicamba	Herbicides	mg/kg				< 0.05	< 0.05
Dichlofenthion	Insecticides	mg/kg				< 0.1	< 0.1
Dichloroprop	Herbicides	mg/kg				< 0.05	< 0.05
Dichlorvos	Insecticides	mg/kg				< 0.2	< 0.2
Dicloran	Fungicides	mg/kg				< 0.2	< 0.2
Dieldrin	Insecticides	mg/kg				< 0.05	< 0.05
Diethylphthalate	SVOC	mg/kg				< 0.33	< 0.33

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRs Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
Dimethoate	Insecticides	mg/kg				< 0.4	< 0.4
Dimethylphthalate	SVOC	mg/kg				0.5	0.65
Di-n-butylphthalate	SVOC	mg/kg				0.55	< 0.33
Di-n-octylphthalate	SVOC	mg/kg				< 0.33	< 0.33
Dinoseb	Herbicides	mg/kg				< 0.05	< 0.05
Disulfoton	Insecticides	mg/kg				< 0.2	< 0.2
Endosulfan I	Insecticides	mg/kg				< 0.05	< 0.05
Endosulfan II	Insecticides	mg/kg				< 0.1	< 0.1
Endosulfan sulfate	Insecticides	mg/kg				< 0.1	< 0.1
Endrin	Insecticides	mg/kg				< 0.05	< 0.05
EPN	Insecticides	mg/kg				< 0.1	< 0.1
Ethion	Insecticides	mg/kg				< 0.1	< 0.1
Ethoprop	Insecticides	mg/kg				< 0.1	< 0.1
Etridiazole	Fungicides	mg/kg				< 0.2	< 0.2
Europium-152		µCi/g	< 0.000000402	< 0.000000555	< 0.000000356	< 0.000000599	< 0.000000686
Famphur	Insecticides	mg/kg				< 0.2	< 0.2
Fenarimol	Fungicides	mg/kg				< 0.05	< 0.05
Fenitrothion	Insecticides	mg/kg				< 0.1	< 0.1
Fensulfothion	Insecticides	mg/kg				< 1.0	< 1.0
Fenthion	Insecticides	mg/kg				< 0.2	< 0.2
Fluchloralin	Herbicides	mg/kg				< 0.2	< 0.2



Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
Fluoranthene	PAH	mg/kg				0.38	< 0.33
Fluorene	PAH	mg/kg				< 0.33	< 0.33
Fonofos	Insecticides	mg/kg				< 0.1	< 0.1
gamma-Chlordane	Insecticides	mg/kg				< 0.05	< 0.05
gamma-HCH (gamma-BHC, Lindane)	Insecticides	mg/kg				< 0.05	< 0.05
Heptachlor	Insecticides	mg/kg				< 0.05	< 0.05
Heptachlor epoxide	Insecticides	mg/kg				< 0.05	< 0.05
Hexachlorobenzene	SVOC	mg/kg				< 0.33	< 0.33
Hexachlorobutadiene	VOC	mg/kg				< 0.33	< 0.33
Hexachlorocyclopentadiene	SVOC	mg/kg				< 0.33	< 0.33
Hexachloroethane	SVOC	mg/kg				< 0.33	< 0.33
Indeno[1,2,3-cd]pyrene	PAH	mg/kg				< 0.33	< 0.33
Isazophos	Insecticides	mg/kg				< 0.1	< 0.1
Isofenphos	Insecticides	mg/kg				< 0.1	< 0.1
Isophorone	SVOC	mg/kg				< 0.33	< 0.33
Lead	Metals	mg/kg	< 9.75	< 10.4	< 9.63	11.5	< 9.9
Leptophos	Insecticides	mg/kg				< 0.1	< 0.1
Malathion	Insecticides	mg/kg				< 0.1	< 0.1
MCPA	Herbicides	mg/kg				< 5.0	< 5.0
MCPP	Herbicides	mg/kg				< 5.0	< 5.0

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRs Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
Mercury	Metals	mg/kg	< 0.0107	< 0.011	< 0.0117	0.0116	0.0144
Methoxychlor	Insecticides	mg/kg				< 1.0	< 1.0
Mevinphos	Insecticides	mg/kg				< 0.4	< 0.4
Mirex	Insecticides	mg/kg				< 0.05	< 0.05
Naphthalene	PAH	mg/kg				< 0.33	< 0.33
Nickel	Metals	mg/kg	34.5	34.4	23	29.7	34.5
Nitrobenzene	SVOC	mg/kg				< 0.33	< 0.33
N-Nitrosodimethylamine	SVOC	mg/kg				< 0.33	< 0.33
N-Nitrosodiphenylamine	SVOC	mg/kg				< 0.33	< 0.33
N-Nitrosodipropylamine	SVOC	mg/kg				< 0.33	< 0.33
o,p'-DDD	Insecticides	mg/kg				< 0.05	< 0.05
o,p'-DDE	Insecticides	mg/kg				< 0.05	< 0.05
o,p'-DDT	Insecticides	mg/kg				< 0.05	< 0.05
Oxadiazon	Herbicides	mg/kg				< 0.05	< 0.05
Oxychlorane	Insecticides	mg/kg				< 0.05	< 0.05
p,p'-DDD	Insecticides	mg/kg				< 0.05	< 0.05
p,p'-DDE	Insecticides	mg/kg				< 0.05	< 0.05
p,p'-DDT	Insecticides	mg/kg				< 0.05	< 0.05
Parathion-ethyl (Parathion)	Insecticides	mg/kg				< 0.1	< 0.1
Parathion-methyl	Insecticides	mg/kg				< 0.1	< 0.1
p-Bromophenyl phenyl ether	SVOC	mg/kg				< 0.33	< 0.33

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
 U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
p-Chlorophenyl phenyl ether	SVOC	mg/kg				< 0.33	< 0.33
Pentachloronitrobenzene	Fungicides	mg/kg				< 0.1	< 0.1
Pentachlorophenol	SVOC	mg/kg				< 0.33	< 0.33
Permethrin, trans-	Insecticides	mg/kg				< 0.4	< 0.4
Phenanthrene	PAH	mg/kg				0.77	< 0.33
Phenol	SVOC	mg/kg				1.7	< 0.33
Phorate	Insecticides	mg/kg				< 0.4	< 0.4
Phosmet	Insecticides	mg/kg				< 0.2	< 0.2
Picloram	Herbicides	mg/kg				< 0.05	< 0.05
Procymidone	Fungicides	mg/kg				< 0.2	< 0.2
Pronamide	Herbicides	mg/kg				< 0.4	< 0.4
Propazine	Herbicides	mg/kg				< 2.0	< 2.0
Propetamphos	Insecticides	mg/kg				< 0.1	< 0.1
Protactinium-234M		µCi/g	< 0.000018	< 0.0000209	< 0.0000134	< 0.000027900	< 0.000025600
Protothiophos	Insecticides	mg/kg				< 0.2	< 0.2
Pyrene	SVOC	mg/kg				2.8	< 0.33
Ronnel	Insecticides	mg/kg				< 0.1	< 0.1
Selenium	Metals	mg/kg	< 9.75	< 10.4	< 9.63	< 9.82	< 9.9
Silver	Metals	mg/kg	< 1.95	< 2.08	< 1.93	< 1.96	< 1.98
Simazine	Herbicides	mg/kg				< 2.0	< 2.0
Strontium	Metals	mg/kg	118	138	208	123	130

Deployment OEH Risk Characterization, Soil and Associated Dust Samples, Delhi, Afghanistan, 11 Oct 09,  
U\_AFG\_DELHI\_CM\_SQA\_20091011

DOEHRS Sample ID			00001CTM	00001CTN	00001CTP	00001CTQ	00001CTR
Field/Local Sample ID			AFGDELHI 0928301S	AFGDELHI 0928401S	AFGDELHI 0928301S	AFGDELHI 0928301S	AFGLEATHE 0928301S
Site			Fuel Site	Fuel Site	Fuel Site	Burn Pit	Main Gate
Start Date/Time			2009/10/11 1028	2009/10/11 1024	2009/10/10 1810	2009/10/10 1740	2009/10/10 1755
Parameter	Class	µunits	Concentration <sup>1,2</sup>				
Sulfotep	Insecticides	mg/kg				< 0.1	< 0.1
Terbufos	Insecticides	mg/kg				< 0.1	< 0.1
Tetrachlorvinphos	Insecticides	mg/kg				< 0.2	< 0.2
Thorium-234		µCi/g	< 0.000002180	< 0.00000248	< 0.00000161	< 0.00000302	< 0.000003320
Total solids	Characteristic	%	98.6	95.1	100	100	100
Toxaphene	Insecticides	mg/kg				< 1.0	< 1.0
trans-Nonachlor	Insecticides	mg/kg				< 0.05	< 0.05
Trichloronate	Insecticides	mg/kg				< 0.2	< 0.2
Trifluralin	Herbicides	mg/kg				< 0.1	< 0.1
Uranium-235		µCi/g	< 0.000000883	< 0.00000118	< 0.000000731	< 0.00000132	< 0.000001450
Vinclozolin	Fungicides	mg/kg				< 0.2	< 0.2
Zinophos	Insecticides	mg/kg				< 0.1	< 0.1

<sup>1</sup> < X.XX = Below laboratory reporting limit (X.XX)

<sup>2</sup>Laboratory reporting limit is parameter and sample specific

LEGEND:

DOEHRS Sample ID = Deployment Occupational and Environmental Health Readiness System Sample Identification Number

mg/kg = milligrams per kilogram

µCi/g = micro curies per gram

VOC = Volatile Organic Chemical

SVOC = Semi-volatile organic chemical

PAH = Polycyclic aromatic hydrocarbons

PCB = Polychlorinated biphenyls

MCPA = 2-methyl-4-chlorophenoxyacetic acid

MCPP = meta-chlorophenylpiperazine

MCPA = 2-methyl-4-chlorophenoxyacetic acid

MCPP = meta-chlorophenylpiperazine