MONKEYPOX

What Servicemembers SHOULD KNOW

MONKEYPOX IS A RARE INFECTIOUS DISEASE CAUSED BY THE MONKEYPOX VIRUS, WHICH IS IN THE SAME FAMILY OF VIRUSES THAT CAUSES SMALLPOX



Monkeypox spreads through:

- Skin-to-skin contact with a person with a rash, sores, or scabs from monkeypox.
- Contact with objects like clothing, bedding, or towels, and surfaces that have been used by a person with monkeypox.
- Hugging, cuddling, massage, or close contact sports with a person with monkeypox.
- Droplets of saliva (spit) from a person with monkeypox during close conversation and kissing.
- Intimate sexual contact like oral, anal, or vaginal sex or touching the genitals or anus of a person with monkeypox.



Am I at risk?

Anyone can get monkeypox. Those at higher risk include:

- People who have close or intimate contact with someone with monkeypox.
- People who have had multiple sex partners in the past 2 weeks in an area where monkeypox is present.



Can I get a monkeypox vaccine?

There are two vaccines (JYNNEOS and ACAM2000) that may be used to prevent monkeypox in the United States.

Talk to your healthcare provider about getting vaccinated if:

- You have been in close contact with someone with monkeypox.
- You learn that one of your sex partners in the past 2 weeks has been diagnosed with monkeypox.
- You are a man who has sex with men.

If you have a new or unexplained rash or feel sick you should immediately stay away from others and contact your healthcare provider.







For more information, contact your installation's Department of Public Health.

Approved for public release; distribution unlimited.