

Ft Benning: 08 March 2018 - 09 March 2019

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.02 (D)	0.00 (D)	100%
Leonard Wood	0.24 (I)	18.23 (I)	80%
Jackson	0.08 (N)	2.03 (I)	57%
Sill	N/A	N/A	N/A

 $\label{eq:summary comparison to previous week} I = Increase \quad D = Decrease \quad N = No \ Change \ N/A = No \ cases$



Males				
Unit Strength ARD Cases Strep Test Done Strep Positive				
5957	1	1	0	

Females				
Unit Strength ARD Cases Strep Test Done Strep Positive				
66	0	0	0	



Ft Leonard Wood: 08 March 2018 - 09 March 2019

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)


Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.02 (D)	0.00 (D)	100%
Leonard Wood	0.24 (I)	18.23 (I)	80%
Jackson	0.08 (N)	2.03 (I)	57%
Sill	N/A	N/A	N/A

Summary comparison to previous week I = Increase D = Decrease N = No Change N/A = No cases





Females				
Unit Strength ARD Cases Strep Test Done Strep Positive				
1406	0	0	0	



Ft Jackson: 08 March 2018 - 09 March 2019

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.02 (D)	0.00 (D)	100%
Leonard Wood	0.24 (I)	18.23 (I)	80%
Jackson	0.08 (N)	2.03 (I)	57%
Sill	N/A	N/A	N/A

 $\label{eq:summary comparison to previous week} I = Increase \quad D = Decrease \quad N = No \ Change \ N/A = No \ cases$



Males				
Unit Strength ARD Cases Strep Test Done Strep Positive				
6071	3	1	0	

Females				
Unit Strength ARD Cases Strep Test Done Strep Positive				
2537	4	3	1	



Ft Sill: 08 March 2018 - 09 March 2019

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) *100

Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)


Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.02 (D)	0.00 (D)	100%
Leonard Wood	0.24 (I)	18.23 (I)	80%
Jackson	0.08 (N)	2.03 (I)	57%
Sill	N/A	N/A	N/A

Summary comparison to previous week

I = Increase D = Decrease N = No Change N/A = No cases



Males				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
2088	0	0	0	

Females				
Unit Strength ARD Cases Strep Test Done Strep Positiv				
766	0	0	0	