

## Ft Benning: 11 October 2018 – 12 October 2019

#### **DEFINITIONS:**

ARD Rate=(ARD cases/Trainees) \*100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) \*100


Strep-ARD Surveillance Index (SASI)=(ARD Rate\*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.07 (D)	2.41 (I)	86%
Leonard Wood	0.05 (I)	1.66 (I)	75%
Jackson			
Sill			

 $\label{eq:Summary comparison to previous week} \begin{tabular}{ll} I = Increase & D = Decrease & N = No Change N/A = Undefined \\ \end{tabular}$ 



Males				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
9479	7	6	2	

Females				
Unit Strength ARD Cases Strep Test Done Strep Positive				
188	0	0	0	



### Ft Leonard Wood: 11 October 2018 - 12 October 2019

#### **DEFINITIONS:**

ARD Rate=(ARD cases/Trainees) \*100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) \*100


Strep-ARD Surveillance Index (SASI)=(ARD Rate\*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.07 (D)	2.41 (I)	86%
Leonard Wood	0.05 (I)	1.66 (I)	75%
Jackson			
Sill			

 $\begin{array}{ccc} & Summary \ comparison \ to \ previous \ week \\ I = Increase & D = Decrease & N = No \ Change \ N/A = Undefined \end{array}$ 



Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
5785	2	1	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
2265	2	2	1



### Ft Jackson: 11 October 2018 - 12 October 2019

#### **DEFINITIONS:**

ARD Rate=(ARD cases/Trainees) \*100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) \*100


Strep-ARD Surveillance Index (SASI)=(ARD Rate\*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.07 (D)	2.41 (I)	86%
Leonard Wood	0.05 (I)	1.66 (I)	75%
Jackson			
Sill			

Summary comparison to previous week  $I = Increase \quad D = Decrease \quad N = No Change N/A = Undefined$ 



Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
-	-	-	-

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
-	-	-	-



### Ft Sill: 11 October 2018 - 12 October 2019

#### **DEFINITIONS:**

ARD Rate=(ARD cases/Trainees) \*100

ADV = Adenovirus

Strep Rate=(Strep Cultures (+)/Cultures) \*100


Strep-ARD Surveillance Index (SASI)=(ARD Rate\*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: All installations have achieved full ADV coverage.

	ARD Rate	SASI	STC
Benning	0.07 (D)	2.41 (I)	86%
Leonard Wood	0.05 (I)	1.66 (I)	75%
Jackson			
Sill			

 $\label{eq:Summary comparison to previous week} \begin{tabular}{ll} I = Increase & D = Decrease & N = No Change N/A = Undefined \\ \end{tabular}$ 



Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
-	-	-	-

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
-	-	-	-