



DISEASE EPIDEMIOLOGY PROGRAM

Acute Respiratory Disease Surveillance Summary

Ft Benning: 3 April 2020 – 3 April 2021

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100

Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)


NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0	0%
Leonard Wood	0.02 (↓)	0	0%
Jackson	NA	NA	NA
Sill	0.00 (↔)	0	--

↑=Increase ↓=Decrease ↔=No Change
 NA=Not Available --- Testing Not Necessary

POST-BENNING

--- SASI --- ARD RATE



*Data source: ARD weekly report

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
7723	1	0	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
133	0	0	0



DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Leonard Wood: 3 April 2020 – 3 April 2021

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100

Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)


Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0	0%
Leonard Wood	0.02 (↓)	0	0%
Jackson	NA	NA	NA
Sill	0.00 (↔)	0	--

↑=Increase ↓=Decrease ↔=No Change
NA=Not Available --- Testing Not Necessary

POST=FLW



*Data source: ARD weekly report

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
3986	0	0	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
1300	1	0	0

If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or [Email Disease Epidemiology](#)

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED



DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Jackson: 3 April 2020 – 3 April 2021

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100

Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)


Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0	0%
Leonard Wood	0.02 (↓)	0	0%
Jackson	NA	NA	NA
Sill	0.00 (↔)	0	--

↑=Increase ↓=Decrease ↔=No Change
NA=Not Available --- Testing Not Necessary

POST=JACKSON



*Data source: ARD weekly report

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
NA	NA	NA	NA

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
NA	NA	NA	NA



DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Sill: 3 April 2020 – 3 April 2021

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0	0%
Leonard Wood	0.02 (↓)	0	0%
Jackson	NA	NA	NA
Sill	0.00 (↔)	0	--

↑=Increase ↓=Decrease ↔=No Change
NA=Not Available -- Testing Not Necessary



Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
2169	0	0	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
731	0	0	0