Week Ending 06 November 2021


Ft. Benning

DEFINITIONS:
ARD Rate=(ARD cases/Trainees) *100
Strep Rate=(Strep Cultures (+)/Cultures) *100
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each s (those sites highlighted red are at less than 60% compliance)
NOTE: The ARD and strep rates are for febrile cases only. An ARD o

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0(\J)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.04 (个)	0 (↔)	50%
Sill	NA	NA	NA

↑=Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



site

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
7,624	1	1	0

Unit Strength	ARD Cases	Strep Test Done	Strep Positive
164	0	0	0

Week Ending 06 November 2021


Ft. Jackson

DEFINITIONS:
ARD Rate=(ARD cases/Trainees) *100
Strep Rate=(Strep Cultures (+)/Cultures) *100
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each s (those sites highlighted red are at less than 60% compliance)
NOTE: The ARD and strep rates are for febrile cases only. An ARD

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0(↓)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.04 (个)	0 (↔)	50%
Sill	NA	NA	NA

↑=Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



site

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
6,089	0	0	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
2,222	0	0	0


week Ending 06 November 2021		
DEFINITIONS:		
ARD Rate=(ARD cases/Trainees) *100		
Strep Rate=(Strep Cultures (+)/Cultures) *100		
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)		
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)		
NOTE: The ARD and strep rates are for febrile cases only. An ARD cas is defined as a trainee with an oral temperature of at least 100.5°F, a		

is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0(↓)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.04 (个)	0 (↔)	50%
Sill	NA	NA	NA

Ft. Leonard Wood

↑=Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



se

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
3,565	1	1	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
1,267	1	0	0

Week Ending 06 November 2021


Ft. Sill

DEFINITIONS:
ARD Rate=(ARD cases/Trainees) *100
Strep Rate=(Strep Cultures (+)/Cultures) *100
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each (those sites highlighted red are at less than 60% compliance)
NOTE: The ARD and stren rates are for febrile cases only. An ARD

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (↓)	0(↓)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.04 (个)	0 (↔)	50%
Sill	NA	NA	NA

^{↑=}Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



site

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
NA	NA	NA	NA		

Females					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
NA	NA	NA	NA		