DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Benning: 19 June 2020 – 19 June 2021

HC

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.00 (↓)	0	
Leonard Wood	0.00 (↓)	0	
Jackson	NA	NA	NA
Sill	0.06 (↑)	0	33%

 \uparrow =Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males					Females		
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
7550	0	0	0	136	0	0	0

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Leonard Wood: 19 June 2020 – 19 June 2021

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.00 (↓)	0	
Leonard Wood	0.00 (↓)	0	
Jackson	NA	NA	NA
Sill	0.06 (↑)	0	33%

 \uparrow =Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males				l	Females		
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
4013	0	0	0	1350	0	0	0

If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or Email Disease Epidemiology APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED

SASI

STC

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Jackson: 19 June 2020 – 19 June 2021

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100

Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)


Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

Benning	0.00 (↓)	0	
Leonard Wood	0.00 (↓)	0	
Jackson	NA	NA	NA
Sill	0.06 (↑)	0	33%

ARD Rate

↑=Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males			Females				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
NA	NA	NA	NA	NA	NA	NA	NA

If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or Email Disease Epidemiology APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Sill: 19 June 2020 - 19 June 2021

		ΕТ			2	NI	c.
D	E	-1	IN I		U	1.1	S:
_	_			 _	-		_

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.00 (↓)	0	
Leonard Wood	0.00 (↓)	0	
Jackson	NA	NA	NA
Sill	0.06 (↑)	0	33%

 \uparrow =Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males			I		1	emales		
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		Unit Strength	ARD Cases	Strep Test Done	Strep Positive
3598	2	0	0		1268	1	1	0

If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or Email Disease Epidemiology APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED