

Ft Benning: 22 May 2020 – 22 May 2021

ΉC

DEFINITIONS:

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.03 (↑)	0	100%
Leonard Wood	0.00 (↔)	0	
Jackson	0.00 (↔)	0	
Sill	0.00 (↔)	0	

 \uparrow =Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males							
Unit Strength	ARD Cases	Strep Test Done	Strep Positive				
7135	2	2	0				

Females							
Unit Strength	ARD Cases	Strep Test Done	Strep Positive				
140 0		0	0				

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Leonard Wood: 22 May 2020 – 22 May 2021

		TRI		TO	NIC	-
		I N			NS	=
_	_	_	_			-

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.03 (↑)	0	100%
Leonard Wood	0.00 (↔)	0	
Jackson	0.00 (↔)	0	
Sill	0.00 (↔)	0	

↑=Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males					Females		
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
3887	0	0	0	1273	0	0	0


If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or Email Disease Epidemiology APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Jackson: 22 May 2020 – 22 May 2021

C

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100	Benning	0.03 (↑)	0	100%
Strep Rate=(Strep Cultures (+)/Cultures) *100	Leonard Wood	0.00 (↔)	0	
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)		0.00 ((/)		
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)	Jackson	0.00 (↔)	0	
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one	Sill	0.00 (↔)	0	
symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increase ↓=Decrease ↔=No Change NA=Not Available Testing Not Necessary			



Males					I	Females	
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
5169	0	0	0	1821	0	0	0

If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or Email Disease Epidemiology APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED

APHC

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Surveillance Summary

Ft Sill: 22 May 2020 - 22 May 2021

		ΕТ			2	NI	c.
D	E	-1	IN I		U	1.1	S:
_	_			 _	-		_

ARD Rate=(ARD cases/Trainees) *100

Strep Rate=(Strep Cultures (+)/Cultures) *100


Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.03 (↑)	0	100%
Leonard Wood	0.00 (↔)	0	
Jackson	0.00 (↔)	0	
Sill	0.00 (↔)	0	

 \uparrow =Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Males				I	Females		
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
2116	0	0	0	764	0	0	0

If you have questions, comments or suggestions about this report, please contact us at (410) 417-0243 or Email Disease Epidemiology APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED