


#### Week Ending 03 September 2022

# Ft. Benning

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100	Benning	NA	NA	NA
Strep Rate=(Strep Cultures (+)/Cultures) *100 Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Jackson	NA	NA	NA
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)	Leonard Wood	0.10 (↓)	0.00 (↔)	50%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at	Sill	0.00 (↔)	0.00 (↔)	
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increas NA=Not	• •	se ↔=No Cl esting Not Neces	



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25\*

\*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 18 December 2021 and 01 January 2022 were due to block leave.

Males				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
NA	NA	NA	NA	


Females					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
NA	NA	NA	NA		

# DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Weekly Surveillance Summary

#### Week Ending 03 September 2022

# Ft. Jackson

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100	Benning	NA	NA	NA
Strep Rate=(Strep Cultures (+)/Cultures) *100				
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Jackson	NA	NA	NA
trep Testing Compliance (STC) = $\%$ of ARD cases tested for Strep at each site hose sites highlighted red are at less than 60% compliance)	Leonard Wood	0.10 (↓)	0.00 (↔)	50%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at	Sill	0.00 (↔)	0.00 (↔)	
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increa NA=Not	se ↓=Decrea Available —- T		· J ·



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25\*


\*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 18 December 2021 and 01 January 2022 were due to block leave.

Males				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
NA	NA	NA	NA	

Females				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
NA	NA	NA	NA	

# DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Weekly Surveillance Summary

Week Ending 03 September 2022		't. Leo	nard V	lood
DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100 Strep Rate=(Strep Cultures (+)/Cultures) *100	Benning	NA	NA	NA
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Jackson	NA	NA	NA
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than $60\%$ compliance)	Leonard Wood	0.10 (↓)	0.00 (↔)	50%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at	Sill	0.00 (↔)	0.00 (↔)	
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	se $\leftrightarrow$ =No Ch esting Not Necess	· J ·		
Ft. Leonard Wood				



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25\*

\*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 18 December 2021 and 01 January 2022 were due to block leave.

Males					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
4,271	5	2	0		

Females				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
1,525	1	1	0	



### Week Ending 03 September 2022

### Ft. Sil

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100 Strep Rate=(Strep Cultures (+)/Cultures) *100	Benning	NA	NA	NA
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Jackson	NA	NA	NA
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than $60\%$ compliance)	Leonard Wood	0.10 (↓)	0.00 (↔)	50%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at	Sill	0.00 (↔)	0.00 (↔)	
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increas	•	se ↔=No Cł	5

NA=Not Available —- Testing Not Necessary



#### Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25\*

\*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 18 December 2021 and 01 January 2022 were due to block leave.

Males					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
2,447	0	0	0		

Females				
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	
863	0	0	0	