Week Ending 04 December 2021


Ft. Benning

DEFINITIONS:
ARD Rate=(ARD cases/Trainees) *100
Strep Rate=(Strep Cultures (+)/Cultures) *100
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each si (those sites highlighted red are at less than 60% compliance)
NOTE: The ARD and stren rates are for febrile cases only. An ARD ca

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (个)	0 (↔)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.00 (↓)	0 (↔)	
Sill	0.06 (个)	0 (↔)	100%

^{↑=}Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



ite

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
7,047	1	1	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
137	0	0	0

Week Ending 04 December 2021


Ft. Jackson

DEFINITIONS:
ARD Rate=(ARD cases/Trainees) *100
Strep Rate=(Strep Cultures (+)/Cultures) *100
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each s (those sites highlighted red are at less than 60% compliance)
NOTE: The ARD and strep rates are for febrile cases only An ARD

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (个)	0 (↔)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.00 (↓)	0 (↔)	
Sill	0.06 (个)	0 (↔)	100%

^{↑=}Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



site

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
4,469	0	0	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
1,694	0	0	0


Week Ending 04 December 2021		
DEFINITIONS:		
ARD Rate=(ARD cases/Trainees) *100		
Strep Rate=(Strep Cultures (+)/Cultures) *100		
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)		
Strep Testing Compliance (STC) = $\%$ of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)		
NOTE: The ARD and strep rates are for febrile cases only. An ARD cas is defined as a trainee with an oral temperature of at least 100.5°F, at		

is defined as a trainee with an oral temperature of at least 100.5° F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (个)	0 (↔)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood 0.00 (↓)	0 (↔)		
Sill	0.06 (个)	0 (↔)	100%

Ft. Leonard Wood

↑=Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
3,690	0	0	0

Females			
Unit Strength	ARD Cases	Strep Test Done	Strep Positive
1,274	0	0	0

Week Ending 04 December 2021


Ft. Sill

DEFINITIONS:
ARD Rate=(ARD cases/Trainees) *100
Strep Rate=(Strep Cultures (+)/Cultures) *100
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each (those sites highlighted red are at less than 60% compliance)
NOTE: The APD and strep rates are for febrile cases only. An APD

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.

	ARD Rate	SASI	STC
Benning	0.01 (个)	0 (↔)	100%
Jackson	0.00 (↔)	0 (↔)	
Leonard Wood	0.00 (↓)	0 (↔)	
Sill	0.06 (个)	0 (↔)	100%

^{↑=}Increase ↓=Decrease ↔=No Change NA=Not Available --- Testing Not Necessary



site

Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25

Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level.

Males					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
1,105	0	0	0		

Females					
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		
453	1	1	0		