


Week Ending 28 January 2023

Ft. Benning

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100 Strep Rate=(Strep Cultures (+)/Cultures) *100	Ft. Benning	0.04 (↓)	0.00 (↓)	100%
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Ft. Jackson	NA	NA	NA
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)	Ft. Leonard Wood	0.16 (个)	0.00 (↔)	86%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least $100.5^{\circ}F_{r}$ at	Ft. Sill	0.00 (↔)	0.00 (↔)	_
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increase	↓=Decrease		· J ·



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25*

*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 24 December 2022 and 31 December 2022 were due to block leave. Also, some installations are missing data between 20 September 2022 and 28 January 2023 due to issues with the transition to using MHS GENESIS data.

Males						
Unit Strength ARD Cases Strep Test Done Strep Positive						
4,531	2	2	0			

Females						
Unit Strength ARD Cases Strep Test Done Strep Positiv						
75	0	0	0			




Week Ending 28 January 2023

Ft. Jackson

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100 Strep Rate=(Strep Cultures (+)/Cultures) *100	Ft. Benning	0.04 (↓)	0.00 (↓)	100%
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Ft. Jackson	NA	NA	NA
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)	Ft. Leonard Wood	0.16 (个)	0.00 (↔)	86%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least $100.5^{\circ}F_{r}$ at	Ft. Sill	0.00 (↔)	0.00 (↔)	_
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increase	↓=Decrease		· J ·

NA=Not Available —- Testing Not Necessary



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25*

*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 24 December 2022 and 31 December 2022 were due to block leave. Also, some installations are missing data between 20 September 2022 and 28 January 2023 due to issues with the transition to using MHS GENESIS data.

Males						
Unit Strength ARD Cases Strep Test Done Strep Positive						
NA	NA	NA	NA			

Females						
Unit Strength ARD Cases Strep Test Done Strep Positive						
NA	NA	NA	NA			

DISEASE EPIDEMIOLOGY PROGRAM Acute Respiratory Disease Weekly Surveillance Summary


Veek Ending 28 January 2023					
DEFINITIONS:					
ARD Rate=(ARD cases/Trainees) *100	Ft. Benning				
Strep Rate=(Strep Cultures (+)/Cultures) *100					
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Ft. Jackson				

Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)

NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least 100.5°F, at least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours. Ft. Leonard Wood

	ARD Rate	SASI	STC
Ft. Benning	0.04 (↓)	0.00 (↓)	100%
Ft. Jackson	NA	NA	NA
Ft. Leonard Wood	0.16 (个)	0.00 (↔)	86%
Ft. Sill	0.00 (↔)	0.00 (↔)	—

 \uparrow =Increase ↓=Decrease ↔=No Change NA=Not Available —- Testing Not Necessary



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25*

*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 24 December 2022 and 31 December 2022 were due to block leave. Also, some installations are missing data between 20 September 2022 and 28 January 2023 due to issues with the transition to using MHS GENESIS data.


Males					F	emales	
Unit Strength	ARD Cases	Strep Test Done	Strep Positive	Unit Strength	ARD Cases	Strep Test Done	Strep Positive
3,598	5	5	0	908	2	1	0



Week Ending 28 January 2023

Ft. Sill

DEFINITIONS:		ARD Rate	SASI	STC
ARD Rate=(ARD cases/Trainees) *100 Strep Rate=(Strep Cultures (+)/Cultures) *100	Ft. Benning	0.04 (↓)	0.00 (↓)	100%
Strep-ARD Surveillance Index (SASI)=(ARD Rate*Strep Rate)	Ft. Jackson	NA	NA	NA
Strep Testing Compliance (STC) =% of ARD cases tested for Strep at each site (those sites highlighted red are at less than 60% compliance)	Ft. Leonard Wood	0.16 (个)	0.00 (↔)	86%
NOTE: The ARD and strep rates are for febrile cases only. An ARD case is defined as a trainee with an oral temperature of at least $100.5^{\circ}F_{r}$ at	Ft. Sill	0.00 (↔)	0.00 (↔)	—
least one symptom of acute respiratory inflammation, and a limited duty profile signed by the examining medical provider which limits or restricts duty for at least 8 hours.	↑=Increase NA=Not Ava	↓=Decrease ilable —- Tes		· J ·



Data Source: ARD Weekly Report

Threshold: ARD Rate exceeding 1.5% or SASI exceeding 25*

*Exceedance of either threshold for 2 consecutive weeks is defined as a potential outbreak and prompts investigation at the installation level. Note: Missing data between 24 December 2022 and 31 December 2022 were due to block leave. Also, some installations are missing data between 20 September 2022 and 28 January 2023 due to issues with the transition to using MHS GENESIS data.

	Males				F	emales		
Unit Strength	ARD Cases	Strep Test Done	Strep Positive		Unit Strength	ARD Cases	Strep Test Done	Strep Positive
1,139	0	0	0		342	0	0	0